

## AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application.

### **LISTING OF CLAIMS**

---

1-17. (cancelled)

18. (currently amended) An organic electroluminescent device comprising:  
an organic thin-film transistor ~~element~~ including at least an active layer  
made of an organic material; and  
an organic electroluminescent element driven by the organic thin-film  
transistor ~~element~~.

31 19. (currently amended) The organic electroluminescent device according to  
Claim 18, further comprising a substrate, wherein the organic electroluminescent  
element is provided between the substrate and the organic thin-film transistor ~~element~~.

20. (currently amended) The organic electroluminescent device according to  
Claim 18, further comprising a substrate, wherein the organic thin-film transistor  
~~element~~ is provided between the substrate and the organic electroluminescent element.

21. (currently amended) The organic electroluminescent device according to  
Claim 18, wherein, in each pixel, a total area of a source region area and a drain region  
area of the organic thin-film transistor ~~element~~ is larger than an area of a region  
provided with a luminescent material of the organic electroluminescent element.

22. (currently amended) The organic electroluminescent device according to Claim 18, wherein the source and the drain, which constitute the organic thin-film transistor element, have bent parts that face each other at a predetermined spacing.

23. (previously added) The organic electroluminescent device according to Claim 22, wherein a gate is provided so as to cover the bent parts of the source and the drain.

24. (previously added) The organic electroluminescent device according to Claim 22, wherein the bent parts of the source and the drain are provided in a comb-shape and face each other at a predetermined spacing.

25. (previously added) The organic electroluminescent device according to Claim 22, wherein the bent parts of the source and the drain are provided in a spiral-shape and face each other at a predetermined spacing.

26-40. (withdrawn)

41. (previously added) The organic electroluminescent device according to claim 18, wherein the active layer comprises an organic-semiconductor film made of at least one of anthracene, tetracene, and pentacene.

42. (previously added) The organic electroluminescent device according to claim 19, wherein the organic electroluminescent element comprises a luminescent layer, the luminescent layer having a cylindrical shape.

43. (previously added) The organic electroluminescent device according to claim 42, wherein the luminescent layer has a thickness of about 80 nm.

44. (previously added) The organic electroluminescent device according to claim 42, wherein the luminescent layer comprises at least one of polyfluorene and polyparaphenylene.

45. (previously added) The organic electroluminescent device according to claim 19, further comprising:

an electrode connected to the organic thin-film transistor and in contact with the luminescent layer; and

an insulation film provided between the electrode and the substrate.

46. (previously added) The organic electroluminescent device according to claim 45, further comprising:

a luminescent layer comprised of the organic luminescent element,

wherein the electrode is larger than the luminescent layer.

47. (previously added) The organic electroluminescent device according to claim 20, further comprising:

an electrode connected to the organic thin-film transistor and contacted with a luminescent layer,

wherein the electrode has a cylindrical shape.